

QUICKSHIPMENT THAILAND



VOXFLOR®
passion and purpose

Sangetsu Goodrich Thailand



READY TO GO



Your choice, my solution.

VOXFLOOR®





Access 01, Ashlar

00.

INDEX

COLOR SENSE		page 07
CORAL SEA		page 11
INTERWEAVE		page 15
LIFE RESILIENCE		page 21
LOOM CULTURE		page 25
MEDITATION		page 29
MONDRIAN		page 33
MUNDI 2.0		page 37
NETWORK		page 41
NORTHERN EDGE		page 45
SEAFOAM		page 49
SENSE		page 53
SONIC FLOW		page 55
SOUNDTRACK		page 59
SPECTRUM		page 63
THRIVE		page 67
URBAN FOREST		page 71
WETLAND		page 73

01.

CARPET TILES **READY TO GO**

We offer an extensive collection of in-stock products, thoughtfully curated and readily available for prompt delivery.

With VOXFLOOR, clients are assured of exceptional service, rapid shipping, and outstanding efficiency. To further streamline the experience, we've curated a concise selection of our most popular patterns and colors—carefully chosen from our full range of products. These options are kept in stock and readily available, ensuring reduced lead times and cost-effective delivery.



CARPET TILES ALWAYS IN-STOCK




Slow Adaption 300, 301, Zen Glow 2178, Ashlar




Color Sense 75012003, 75012004, Herringbone

Specification:


Style Name:	Color Sense
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	9 per inch
Pile Weight:	26 OZ/yd²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)




Color Sense 75012001




Color Sense 75012002




Color Sense 75012003



Color Sense 75012004




Color Sense 75012005



Color Sense 75012006


Installation Methods:

1. Ashlar
2. Monolithic
3. Herringbone





Color Sense 75012004, Ashlar



Color Sense 75012006, Monolithic

CORAL SEA

牛首山
Niushou Mountain

443-944


牛首山，位于南京市江宁区，金牛湖、紫金山、鸡鸣山、天幕岭、西天幕岭、敬亭山等諸多大小山组成。牛首山属于丘陵。据《西京杂记》：山周240米，西东两麓的坡形似牛角而得名。《说文解字》曰：“牛角两歧争高，如牛角形。”

Coral Sea 300, 301, Monolithic




Specification


Style Name:	Coral Sea
Construction:	Multi-Level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	10 per inch
Pile Weight:	20 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	50cm*50cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)




Coral Sea 100




Coral Sea 200




Coral Sea 300



Coral Sea 301




Coral Sea 400




Coral Sea 401



Coral Sea 500



Coral Sea 501



Coral Sea 502

Installation Methods:

1. Brick
2. Monolithic





Coral Sea 500, 501, Quarter-turn




INTERWEAVE

Specification:

Style Name:	Interweave
Construction:	Multi-Level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	10 per inch
Pile Weight:	25 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Interweave 03, 06, Ashlar



Interweave 01



Interweave 03



Interweave 06



Interweave 07



Interweave 08




Interweave 11



Interweave 12



Interweave 13



Interweave 14



Interweave 15

Installation Methods:

1. Ashlar

2. Monolithic

3. Herringbone





Interweave 01, 03, 06, 11, 14, Monolithic



Interweave 03, Ashlar



Interweave 08, Ashlar



Interweave 06, Ashlar



Interweave 01, Ashlar



Specification:

Style Name:	Lush Growth; Slow Adaptation
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	12 per inch
Pile Weight:	18 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Lush Growth 200



Lush Growth 300

Installation Methods:

1. Ashlar
2. Herringbone

LIFE RESILIENT

COLLECTION



Lush Growth 300, Ashlar



Slow Adaptation 200, 201, Ashlar




Slow Adaption 400, 401, Ashlar



Slow Adaptation 100




Slow Adaptation 200



Slow Adaptation 201



Slow Adaptation 300



Slow Adaptation 301



Slow Adaptation 302



Slow Adaptation 400



Slow Adaptation 401



Slow Adaptation 400, 401, Ashlar

LOC

Specification:


Style Name:	Fabric Legacy ; Materic Heritage
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/10"
Stitches:	11 per inch
Pile Weight:	22 OZ/yd²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)




Fabric Legacy FL100



Fabric Legacy FL101




Materic Heritage MH200



Materic Heritage MH201

Installation Methods:

1. Ashlar 2. Herringbone



DM CULTURE


COLLECTION




Fabric Legacy FL100, Fabric Legacy FL101 , Ashlar




Materic Heritage MH400, MH401, Ashlar




Materic Heritage MH400




Materic Heritage MH401




Materic Heritage MH500



Materic Heritage MH501



Materic Heritage MH700



Materic Heritage MH701



Materic Heritage MH400, MH401, Ashlar

MEDITATION

COLLECTION



Mindful Path 0957, Ashlar



Specification:

Style Name:	Zen Glow, Mindful Path
Construction:	Multi-Level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	13 per inch
Pile Weight:	17 oz/yd ²
Average Pile Height:	3.5mm+-0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Mindful Path 0957



Mindful Path 1645




Mindful Path 2351



Mindful Path 4246



Mindful Path 0870



Mindful Path 0871



Mindful Path 2178



Mindful Path 2188




Mindful Path 2190

Installation Methods:

1. Ashlar
2. Herringbone



Zen Glow 0957



Zen Glow 1645



Zen Glow 2351



Zen Glow 4246



Zen Glow 0871, 4246, Ashlar



Zen Glow 0870



Zen Glow 0871



Zen Glow 2190



Zen Glow 2178







Zen Glow 2351, Ashlar

Specification

Style Name:	Mondrian 100 ; 200 ; 300
Construction:	Multi-Level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/10"
Stitches:	13 per inch; 10 per inch ; 10 per inch
Pile Weight:	18 OZ/yd ² ; 24 OZ/yd ² ; 26 OZ/yd ²
Average Pile Height:	4.0 ± 0.5 mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Mondrian 100-75003



Mondrian 100-75004



Mondrian 100-75005

Installation Methods:

1. Ashlar
2. Herringbone



MONDRIAN

COLLECTION




Mondrian 100-75003, Ashlar




Mondrian 100-75004, Mondrian 200-75002, Mondrian 300-75002, Ashlar



Mondrian 200-75002




Mondrian 200-75003



Mondrian 200-75005



Mondrian 300-75002



Mondrian 300-75003



Mondrian 300-75005

MUNDI 2.0

COLLECTION

Foundation 20000, Ashlar



Specification:

Style Name:	Foundation; Relic TH; Hazy TH
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/10"
Stitches:	9 per inch
Pile Weight:	22 OZ/yd ² ; 24 OZ/yd ² ; 24 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac® Pro
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Foundation 10000




Foundation 20000




Foundation 60000

Installation Methods:


1. Ashlar
2. Herringbone




Relic TH 12131




Relic TH 22359



Relic TH 60244



Hazy TH 16740



Hazy TH 25456



Hazy TH 63193





Foundation 20000, Hazy TH 63193, Ashlar

Specification:


Style Name:	Access ; Connection
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/10"
Stitches:	8 per inch
Pile Weight:	22 OZ/yd² ; 23 OZ/yd²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Access 01



Access 02



Access 04

Installation Methods:

1. Ashlar
2. Herringbone



NETWORK

COLLECTION



Access 04, 06, Ashlar




Connection 01, Ashlar




Access 02, Connection 02, Ashlar



Connection 01



Connection 02



Connection 04

NORTHERN EDGE

COLLECTION




Diamond Beach 200, 201, Ashlar




Specification:


Style Name:	Diamond Beach; Basalt Canyon
Construction:	Multi-level Loop
Fiber:	Econyl® Regenerated Nylon by Aquafil
Gauge:	1/10"
Stitches:	10 per inch
Pile Weight:	28 OZ/yd ²
Average Pile Height:	4.5mm±0.5mm
Backing:	EcoAce-Bac® Pro
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Diamond Beach 100




Diamond Beach 200




Diamond Beach 201




Diamond Beach 202




Diamond Beach 203




Basalt Canyon 100




Basalt Canyon 200



Basalt Canyon 204



Basalt Canyon 205



Basalt Canyon 206

Installation Methods:

1. Ashlar

2. Herringbone






Basalt Canyon 200, 205, 206, Ashlar

Specification:


Style Name:	Seafoam
Construction:	Multi-Level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	13 per inch
Pile Weight:	20 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	50cm*50cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Seafoam 400



Seafoam 500



Seafoam 600

Installation Methods:


- | | |
|----------|---------------|
| 1. Brick | 2. Monolithic |
|----------|---------------|



SEAFOAM

A modern office interior featuring a carpeted floor, cubicles with light-colored partitions, and black office chairs. The ceiling has a complex, layered design with brown and white panels and integrated lighting. Large windows on the left side provide a view of a city skyline.


Seafoam 500, Brick



Seafoam 418



Seafoam 423



Seafoam 425





Seafoam 400, 423, Monolithic

SENSE




SENSE 75012, Color Sense 75012005-Rightangle Triangle SHAPES System, Ashlar



SENSE 75012, Monolithic

Specification:

Style Name:	Sense
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	9 per inch
Pile Weight:	24 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Sense 75012

Installation Methods:

1. Ashlar
2. Herringbone



Specification

Style Name:	Sonic Flow
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	10 per inch
Pile Weight:	20 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	50cm*50cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Sonic Flow 02



Sonic Flow 05



Sonic Flow 09

Installation Methods:

1. Brick
2. Quarter-turn

SONIC FLOW

A wide-angle photograph of a modern office space. In the foreground, a cubicle with light-colored fabric partitions and a white desk is visible. A black ergonomic office chair is positioned at the desk. Above the cubicle, a long wooden planter box holds several trailing green plants that hang down. The ceiling is white with exposed pipes, ducts, and circular light fixtures. In the background, other office areas, including a meeting room with orange chairs and a table, are visible through an open-plan layout. The floor is covered in a light-colored, textured carpet.

Sonic Flow 02, Brick, Zen Glow 2351, Ashlar



Sonic Flow 09, Quarter-turn



Sonic Flow 05, Quarter-turn



Sonic Flow 10



Sonic Flow 12

SOUNDTRACK

COLLECTION



Ambient 01, Folk 01, Hardrock 01, Ashlar



Specification:


Style Name:	Ambient; Folk; Hardrock
Construction:	Multi-level Loop
Fiber:	Econyl® Regenerated Nylon by Aquafil
Gauge:	1/10"
Stitches:	10 per inch
Pile Weight:	28 OZ/yd ²
Average Pile Height:	5.0mm±0.5mm
Backing:	EcoAce-Bac® Pro
Tile size:	50cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)

Installation Methods:


1. Ashlar
2. Herringbone




Ambient 01



Ambient 05



Folk 01



Folk 05



Ambient 05, Hardrock 05, Ashlar




Folk 05, Ashlar



Hardrock 05, Ashlar



Hardrock 01



Hardrock 05

SPECTRUM

COLLECTION




Ray Path 2-000, Ashlar




Specification:


Style Name:	Ray Path; Light Stream; Color Sparkle
Construction:	Multi-level Loop
Fiber:	Econyl® Regenerated Nylon by Aquafil
Gauge:	1/10"
Stitches:	10 per inch
Pile Weight:	21 OZ/yd ² ; 21 OZ/yd ² ; 22 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac® Pro
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)




Ray Path 2-000



Ray Path 3-000




Ray Path 5-000




Ray Path 6-000

Installation Methods:


1. Ashlar
2. Herringbone




Light Stream 2-002




Light Stream 2-045



Light Stream 2-108




Light Stream 2-131



Color Sparkle 2-002045



Color Sparkle 2-131108






Ray Path 2-000, Light Stream 2-131, Ashlar



Color sparkle 2-002045, Light Stream 2-045, 2-131, Ashlar

Specification:

Style Name:	Thrive
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/10"
Stitches:	12 per inch
Pile Weight:	17 OZ/yd ²
Average Pile Height:	3.5mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Thrive 75001



Thrive 75002




Thrive 75003



Thrive 75004



Thrive 75005



Thrive 75007

Installation Methods:

1. Ashlar
2. Herringbone



THRIVE



Thrive 75001, Ashlar



Thrive 75003, Ashlar




Thrive 75004, Ashlar




Thrive 75002, Ashlar

Specification:


Style Name:	Crown; Root
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/10"
Stitches:	10 per inch
Pile Weight:	24 OZ/yd²
Average Pile Height:	5.0mm±0.5mm
Backing:	EcoAce-Bac® Pro
Tile size:	50cm*100cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)



Crown 07



Root 07



Crown 11



Root 11

Installation Methods:

- 1. Ashlar



BAN FOREST

COLLECTION



Crown T1, Ashlar

WETLAND

COLLECTION



Wetland 100, Brick




Specification:


Style Name:	Wetland
Construction:	Multi-level Loop
Fiber:	PUREWEAVE™ Nylon
Gauge:	1/12"
Stitches:	12 per inch
Pile Weight:	20 OZ/yd ²
Average Pile Height:	4.0mm±0.5mm
Backing:	EcoAce-Bac®
Tile size:	50cm*50cm
Area of Use:	Commercial – Heavy Duty
Anti-microbial:	Ultra Fresh (Available)




Wetland 100



Wetland 200



Wetland 201




Wetland 202

Installation Methods:

1. Brick
2. Quarter-turn



Wetland 600




Wetland 601




Wetland 600, Brick




Wetland 300



Wetland 301



Wetland 302



Wetland 400

Manufacture System

SOLAR made carpet

VOXFLOOR® constructs its solar power generation system, utilizing clean energy for sustainable production.



An Environmental Product Declaration (EPD) tells the life cycle story of a product in a single, comprehensive report. The EPD provides information about a product's impact upon the environment, such as global warming potential, smog creation, ozone depletion and water pollution.



Administered by the Singapore Environment Council (SEC) since 1999, It is Singapore's leading environmental standard and certification mark with over 3800 unique products certified across 43 countries.

Credits Contribution to:



LEED (Leadership in Energy and Environmental Design) is the most widely used green building rating system in the world. LEED certification is a globally recognized symbol of sustainability achievement and leadership.



ISO 14064
ISO 14067
ISO 14068-1

VOXFLOOR® tracks and reduces greenhouse gas emissions (ISO 14064), minimizes the carbon footprint of carpet tiles (ISO 14067), and achieves carbon neutrality through renewable energy and offsetting (ISO 14068-1).



ISO45001:2018
ISO9001:2015
ISO14001:2015

ISO9001, ISO14001, ISO45001 certified, VOXFLOOR® ensures reliable, high-quality manufacturing.



Eco-Ace-Bac® Collection
GLP No. : 100231

Green Label Plus is an independent testing program that identifies carpet, adhesives, and cushion with very low emissions of VOCs to help improve indoor air quality.



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements.



Ultra-Fresh® is a portfolio of antimicrobial treatments developed by Thomson Research Associates, Inc. Customer can choose this High-Performance Antimicrobial Technology.



WELL is the leading tool for advancing health and well-being in buildings globally. Register your office, building or other space to leverage WELL's flexible framework for improving health and human experience through design.


Declare.



Declare is a transparency platform to share and find healthy building products. VOXFLOOR's EcoAce-Bac® Collection reach "Red List Free" grade.


PUREWEAVE™

VOXFLOOR® offers PureWeave Nylon, a solution-dyed nylon fiber with built-in enhanced stain resistance ability against acid-based stains, which account for over 90% of the stains in daily life, such as tea, coffee, juice, etc. This feature gives carpet tiles long-lasting and effective anti-stain properties with lower maintenance costs, and longer product lifespan.




Cradle to Cradle® Certified is the global standard for products that are safe, circular and responsibly made. It is to ensure the impact of their products on people and planet is a positive one.


INSTALLATION METHODS SUMMARY




Ashlar




Monolithic




Herringbone



Brick



Quarter-turn



Monolithic



VOXFLO® Global Contact

China:

china_support@voxflor.com

Asia:

asia_support@voxflor.com

Oceania:

oceania_support@voxflor.com

USA / Canada:

america_support@voxflor.com

Latin America:

latam_support@voxflor.com

Europe / Middle East / Africa:

emea_support@voxflor.com

Milan Creative Studio:

milancreative@voxflor.com

Shanghai Marketing:

marketing@voxflor.com



VOXFLO®

www.voxflor.com

Sangetsu Goodrich Thailand Contact

LINE:

@Sangetsugoodrichthailand

Facebook:

Sangetsu Goodrich Thailand

Instagram:

Sangetsu_Goodrich_Thailand

Email:

info@sangetsu-goodrich.co.th

Website:

www.sangetsu-goodrich.co.th

Phone:

02-381-7778



Sangetsu Goodrich Thailand

