

LUMINA

ROLLER BLIND



THE ART OF LIGHT CONTROL

Performance, and everyday comfort.



Dimout

Fabric with properties between Blackout and Sunscreen. Blocks approximately 30–70% of light (depending on thickness and color).




Sunscreen

Semi-transparent fabric with good ventilation, similar to mesh. Available in various openness levels (1%, 3%, 5% up to 15%).




Blackout

Thick fabric that blocks 100% of light. No light passes through. Ideal for rooms that require complete darkness.




Manual System



- Standard roller blinds, easy to use, strong and durable
- Controlled by pulling the chain to raise and lower the blinds as needed
- Supports large sizes, using high-quality aluminum tubes as the main structure, available in diameters of 38, 50, and 60 mm to suit different applications

Motorized System



- Electric system controlled by wireless remote or wired switch
- Supports smart home connectivity via smartphone/app through Wi-Fi
- Ideal for modern lifestyles

sangetsu
goodrich

Thailand



DIMOUT

LMCSR-001 - LMCSR-008

A

Composition	100% Polyester
-------------	----------------

Width (cm)	300
------------	-----

Weight (g/sqm)	190 ±5
----------------	--------

Thickness (mm)	0.52
----------------	------

Openness Factor	50-70%
-----------------	--------

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

LMCSR-004

LMCSR-005

LMCSR-006

LMCSR-008

DIMOUT

LMCSR-001 - LMCSR-008

A

Composition	100% Polyester
-------------	----------------

Width (cm)	300
------------	-----

Weight (g/sqm)	190 ±5
----------------	--------

Thickness (mm)	0.52
----------------	------

Openness Factor	50-70%
-----------------	--------

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA



DIMOUT

LMCSR_o12 - LMCSR_o17

A

Composition	100% Polyester
-------------	----------------

Width (cm)	300
------------	-----

Weight (g/sqm)	120 ±5
----------------	--------

Thickness (mm)	0.50
----------------	------

Openness Factor	30-50%
-----------------	--------

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

DIMOUT

LMCSR-018 - LMCSR-019

D

Composition	100% Polyester
-------------	----------------

Width (cm)	260
------------	-----

Weight (g/sqm)	100 ±5
----------------	--------

Thickness (mm)	0.46
----------------	------

Openness Factor	50-70%
-----------------	--------

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

LMCSR-018

LMCSR-019

DIMOUT

LMCSR-020 - LMCSR-024

B

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	180 ±5
----------------	--------

Thickness (mm)	0.4
----------------	-----

Openness Factor	50-70%
-----------------	--------

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

LMCSR-020

LMCSR-021

LMCSR-022

LMCSR-023

LMCSR-024

DIMOUT

LMASR-025 - LMASR-028

H

Composition	100% Polyester
-------------	----------------

Width (cm)	200
------------	-----

Weight (g/sqm)	100 ±5
----------------	--------

Thickness (mm)	0.25
----------------	------

Openness Factor	70%
-----------------	-----

Standard	UV Blocking
----------	-------------

LUMINA

LMCSR-028

DIMOUT

LMASR-029 - LMASR-033

F

Composition	100% Polyester
-------------	----------------

Width (cm)	180
------------	-----

Weight (g/sqm)	240 ±5
----------------	--------

Thickness (mm)	0.42
----------------	------

Openness Factor	20%
-----------------	-----

Standard	UV Blocking
----------	-------------

LUMINA

LMCSR-029

LMCSR-031

LMCSR-032



LMCSR-033

DIMOUT

LMASR-034 - LMASR-043

G

Composition	100% Polyester
-------------	----------------

Width (cm)	200
------------	-----

Weight (g/sqm)	210 ±5
----------------	--------

Thickness (mm)	0.35
----------------	------

Openness Factor	15%
-----------------	-----

Standard	UV Blocking
----------	-------------

LUMINA

LMCSR-037

LMCSR-040

LMCSR-041

LMCSR-042

LMCSR-043

DIMOUT

LMCSR-044 - LMCSR-047

E

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	505 ±5
----------------	--------


Thickness (mm)	0.95
----------------	------

Openness Factor	10%
-----------------	-----

Standard	UV Blocking, Minimizes Heat, Flame Retardant Class1 NFPA701
----------	--

LUMINA

LMCSR-044



LMCSR-045

LMCSR-046

LMCSR-047

DIMOUT

LMCSR-048 - LMCSR-051

D

Composition	100% Polyester
-------------	----------------

Width (cm)	240
------------	-----


Weight (g/sqm)	300 ±5
----------------	--------

Thickness (mm)	0.88
----------------	------


Openness Factor	15%
-----------------	-----

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA




LMCSR-048



LMCSR-049



LMCSR-050



LMCSR-051

DIMOUT

LMCSR-052 - LMCSR-055

D

Composition	100% Polyester
-------------	----------------

Width (cm)	240
------------	-----

Weight (g/sqm)	257 ±5
----------------	--------

Thickness (mm)	0.88
----------------	------


Openness Factor	15%
-----------------	-----

Standard	UV Blocking, Minimizes Heat,
----------	------------------------------

LUMINA




LMCSR-052



LMCSR-053



LMCSR-054



LMCSR-055

SUNSCREEN

LMBS5-056 - LMBS5-060

A

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	530 ±5
----------------	--------

Thickness (mm)	0.77
----------------	------


Openness Factor	5%
-----------------	----

Standard	
----------	--


LUMINA

LMBS5-057

LMBS5-058



LMBS5-059



LMBS5-060

SUNSCREEN

LMAS5-062 - LMAS5-065

I

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	240
------------	-----

Weight (g/sqm)	470 ±5
----------------	--------


Thickness (mm)	0.75
----------------	------

Openness Factor	5%
-----------------	----


Standard	
----------	--

LUMINA

LMAS5-062



LMAS5-063



LMAS5-064



LMAS5-065

SUNSCREEN

LMCS5-066 - LMCS5-067

D

Composition

35% Polyester, 65% PVC

Width (cm)

250

Weight (g/sqm)

380 ±5

Thickness (mm)

0.58

Openness Factor

5%

Standard

UV Blocking, Minimizes Heat,
Flame Retardant Class1 NFPA701

LUMINA

LMCS5-066

LMCS5-067

SUNSCREEN

LMCS5-068 - LMCS5-071

E

Composition

35% Polyester, 65% PVC

Width (cm)

250

Weight (g/sqm)

428 ±5

Thickness (mm)

0.85

Openness Factor

5%


Standard

UV Blocking, Minimizes Heat,
Flame Retardant Class1 NFPA701, BS5867-2


LUMINA

LMCS5-068

LMCS5-069



LMCS5-070



LMCS5-071

SUNSCREEN

LMCS5-073 - LMCS5-074

F

Composition	100% Polyester
-------------	----------------

Width (cm)	300
------------	-----

Weight (g/sqm)	222 ±5
----------------	--------


Thickness (mm)	0.45
----------------	------

Openness Factor	5%
-----------------	----

Standard	UV Blocking, Minimizes Heat, Flame Retardant Class1 NFPA701
----------	--

LUMINA

LMCS5-073



LMCS5-074

SUNSCREEN

LMBS3-075 - LMBS3-078

E

Composition	100% Polyester
-------------	----------------

Width (cm)	250
------------	-----

Weight (g/sqm)	440 ±5
----------------	--------

Thickness (mm)	0.65
----------------	------

Openness Factor	3%
-----------------	----

Standard	Flame Retardant Class1 NFPA701, GREENGUARD / OEKO-TEX 100
----------	--

LUMINA

LMBS3-075

LMBS3-077

LMBS3-078

SUNSCREEN

LMBS3-079 - LMBS3-082

C

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	440 ±5
----------------	--------

Thickness (mm)	0.62
----------------	------

Openness Factor	3%
-----------------	----

Standard	
----------	--

LUMINA

LMBS3-080

LMBS3-081

LMBS3-082

SUNSCREEN

LMBS3-083 - LMBS3-087

C

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	430 ±5
----------------	--------

Thickness (mm)	0.65
----------------	------

Openness Factor	3%
-----------------	----

Standard	
----------	--

LUMINA

LMBS3-084

LMBS3-086

LMBS3-087

SUNSCREEN

LMCS3-088 - LMCS3-091

E

Composition	35% Polyester, 65% PVC Aluminum coated
-------------	--

Width (cm)	250
------------	-----

Weight (g/sqm)	450 ±5
----------------	--------

Thickness (mm)	0.65
----------------	------

Openness Factor	3%
-----------------	----

Standard	UV Blocking, Minimizes Heat, Flame Retardant Class1 NFPA701
----------	--

LUMINA

LMBS3-088

LMBS3-089

LMBS3-090

LMBS3-091

SUNSCREEN

LMCS3-092 - LMCS3-095

F

Composition	100% Polyester
-------------	----------------

Width (cm)	300
------------	-----

Weight (g/sqm)	250 ±5
----------------	--------

Thickness (mm)	0.44
----------------	------


Openness Factor	3%
-----------------	----

Standard	UV Blocking, Minimizes Heat, Flame Retardant Class1 NFPA701
----------	--

LUMINA



LMBS3-092



LMBS3-093

LMBS3-094



LMBS3-095

SUNSCREEN

LMCS3-096 - LMCS3-098

E

Composition

35% Polyester, 65% PVC

Width (cm)

260

Weight (g/sqm)

440 ±5

Thickness (mm)

0.65

Openness Factor

3%


Standard

UV Blocking, Minimizes Heat,
Flame Retardant Class1 NFPA701

LUMINA



LMBS3-096



LMBS3-097



LMBS3-098

SUNSCREEN

LMBS1-099 - LMBS1-102

E

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	760 ±5
----------------	--------

Thickness (mm)	1.1
----------------	-----

Openness Factor	1%
-----------------	----

Standard	Flame Retardant Class1 NFPA701, GREENGUARD / OEKO-TEX 100
----------	--

LUMINA

LMBS1-100

LMBS1-101

SUNSCREEN

LMBS1-103 - LMBS1-109

E

Composition	30% Polyester, 70% PVC
-------------	------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	520 ±5
----------------	--------

Thickness (mm)	0.72
----------------	------

Openness Factor	1%
-----------------	----

Standard	Flame Retardant Class1 NFPA701, GREENGUARD / OEKO-TEX 100
----------	--

LUMINA

LMBS1-103

LMBS1-108

LMBS1-109

BLACKOUT

LMCBB-110 - LMCBB-117

C

Composition	100% Polyester with acrylic coating
-------------	-------------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	300 ±5
----------------	--------

Thickness (mm)	0.32
----------------	------

Openness Factor	0%
-----------------	----

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

LMCBB-110

LMCBB-111

LMCBB-112

LMCBB-113

LMCBB-114

LMCBB-115

LMCBB-116

LMCBB-117

BLACKOUT

LMCBB-118 - LMCBB-119

E

Composition	80% Polyester, 20% Linen with acrylic coating
-------------	---

Width (cm)	280
------------	-----

Weight (g/sqm)	400 ±5
----------------	--------

Thickness (mm)	0.54
----------------	------

Openness Factor	0%
-----------------	----

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

LMCBB-118

LMCBB-119

BLACKOUT

LMCBB-120 - LMCBB-124

D

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	340 ±5
----------------	--------

Thickness (mm)	0.6
----------------	-----

Openness Factor	0%
-----------------	----

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA

LMCBB-121

LMCBB-122

LMCBB-123

LMCBB-124

BLACKOUT

LMCBB-125 - LMCBB-131

E

Composition	100% Polyester with acrylic coating
-------------	-------------------------------------

Width (cm)	300
------------	-----

Weight (g/sqm)	370 ±5
----------------	--------

Thickness (mm)	0.64
----------------	------

Openness Factor	0%
-----------------	----

Standard	UV Blocking, Minimizes Heat
----------	-----------------------------

LUMINA



LMCBB-128

LMCBB-130

LMCBB-131

BLACKOUT

LMBBB-132 - LMBBB-137

B

Composition	100% Polyester with foam backing
-------------	----------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	360 ±5
----------------	--------

Thickness (mm)	0.6
----------------	-----

Openness Factor	0%
-----------------	----

Standard	
----------	--

LUMINA

LMBBB-132

LMBBB-135

LMBBB-137

BLACKOUT

LMBBB-138 - LMBBB-141

B

Composition	100% Polyester with foam backing
-------------	----------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	360 ±5
----------------	--------

Thickness (mm)	0.5
----------------	-----

Openness Factor	0%
-----------------	----

Standard	
----------	--

LUMINA

LMBBB-138

LMBBB-139

LMBBB-140

LMBBB-141

BLACKOUT

LMBBB-142 - LMBBB-146

B

Composition	100% Polyester with foam backing
-------------	----------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	360 ±5
----------------	--------

Thickness (mm)	0.55
----------------	------

Openness Factor	0%
-----------------	----

Standard	
----------	--

LUMINA

LMBBB-143

LMBBB-146

BLACKOUT

LMBBB-147 - LMBBB-150

B

Composition	100% Polyester with foam backing
-------------	----------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	360 ±5
----------------	--------

Thickness (mm)	0.5
----------------	-----

Openness Factor	0%
-----------------	----

Standard	
----------	--

LUMINA

LMBBB-147

LMBBB-148

LMBBB-149

LMBBB-150

BLACKOUT

LMBBB-151 - LMBBB-152

D

Composition	100% Polyester with foam backing
-------------	----------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	350 ±5
----------------	--------

Thickness (mm)	0.48
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

BLACKOUT

LMBBB-153 - LMBBB-168

B

Composition	100% Polyester with acrylic coating
-------------	-------------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	345 ±5
----------------	--------

Thickness (mm)	0.35
----------------	------

Openness Factor	0%
-----------------	----

Standard	
----------	--

LUMINA

LMBBB-153

LMBBB-154

LMBBB-155

LMBBB-156

LMBBB-157

LMBBB-158

LMBBB-159

LMBBB-160

LMBBB-161

LMBBB-162

LMBBB-163

LMBBB-164

LMBBB-165

LMBBB-166

LMBBB-167

LMBBB-168

BLACKOUT

LMBBB-16g - LMBBB-172

B

Composition	100% Polyester with acrylic coating
-------------	-------------------------------------

Width (cm)	250
------------	-----

Weight (g/sqm)	340 ±5
----------------	--------

Thickness (mm)	0.32
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

LMBBB-169

LMBBB-170

LMBBB-171

LMBBB-172

BLACKOUT

LMABB-173 - LMABB-174

I

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	335 ±5
----------------	--------

Thickness (mm)	0.55
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

LMBBB-174

BLACKOUT

LMABB-175 - LMABB-176

I

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	420 ±5
----------------	--------

Thickness (mm)	0.68
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

LMBBB-175

LMBBB-176

BLACKOUT

LMABB-177 - LMABB-178

I

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	410 ±5
----------------	--------

Thickness (mm)	0.75
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

BLACKOUT

LMABB-179 - LMABB-183

J

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	445 ±5
----------------	--------

Thickness (mm)	0.75
----------------	------

Openness Factor	0%
-----------------	----

Standard	Flame Retardant Class1 NFPA701, GREENGUARD / OEKO-TEX 100
----------	--

LUMINA

LMABB-180

LMABB-181

LMABB-182

LMABB-183

BLACKOUT

LMABB-184 - LMABB-187

I

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	420 ±5
----------------	--------

Thickness (mm)	0.68
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

LMABB-185

LMABB-186

BLACKOUT

LMABB-188 - LMABB-191

I

Composition	100% Polyester
-------------	----------------

Width (cm)	280
------------	-----

Weight (g/sqm)	370 ±5
----------------	--------

Thickness (mm)	0.52
----------------	------

Openness Factor	0%
-----------------	----

Standard	GREENGUARD / OEKO-TEX 100
----------	---------------------------

LUMINA

Price List

*** Unit: Price Baht/sq.yard

Price Rank	W (cm) ► ▼ H (cm)	80 - 100	101 - 140	141 - 180	181 - 220	221 - 260	261 - 300
A	60 - 100	940	1,320	1,690	2,060	2,440	2,810
	101 - 140	1,320	1,840	2,360	2,890	3,410	3,940
	141 - 180	1,690	2,360	3,040	3,710	4,390	5,060
	181 - 220	2,060	2,890	3,710	4,540	5,360	6,180
	221 - 260	2,440	3,410	4,390	5,360	6,330	7,310
	261 - 300	2,810	3,940	5,060	6,180	7,310	8,430
B	60 - 100	1,060	1,480	1,910	2,330	2,750	3,170
	101 - 140	1,480	2,070	2,670	3,260	3,850	4,440
	141 - 180	1,910	2,670	3,430	4,190	4,950	5,710
	181 - 220	2,330	3,260	4,190	5,120	6,050	6,970
	221 - 260	2,750	3,850	4,950	6,050	7,140	8,240
	261 - 300	3,170	4,440	5,710	6,970	8,240	9,510
C	60 - 100	1,130	1,580	2,040	2,490	2,940	3,390
	101 - 140	1,580	2,220	2,850	3,480	4,110	4,740
	141 - 180	2,040	2,850	3,660	4,470	5,280	6,100
	181 - 220	2,490	3,480	4,470	5,460	6,460	7,450
	221 - 260	2,940	4,110	5,280	6,460	7,630	8,800
	261 - 300	3,390	4,740	6,100	7,450	8,800	10,160
D	60 - 100	1,250	1,750	2,250	2,750	3,250	3,750
	101 - 140	1,750	2,450	3,150	3,850	4,550	5,250
	141 - 180	2,250	3,150	4,050	4,950	5,850	6,740
	181 - 220	2,750	3,850	4,950	6,050	7,140	8,240
	221 - 260	3,250	4,550	5,850	7,140	8,440	9,740
	261 - 300	3,750	5,250	6,740	8,240	9,740	11,240
E	60 - 100	1,440	2,020	2,600	3,170	3,750	4,320
	101 - 140	2,020	2,830	3,630	4,440	5,250	6,050
	141 - 180	2,600	3,630	4,670	5,710	6,740	7,780
	181 - 220	3,170	4,440	5,710	6,970	8,240	9,510
	221 - 260	3,750	5,250	6,740	8,240	9,740	11,240
	261 - 300	4,320	6,050	7,780	9,510	11,240	12,960

Price List

*** Unit: Price Baht/sq.yard

Price Rank	W (cm) ► ▼ H (cm)	80 - 100	101 - 140	141 - 180	181 - 220	221 - 260	261 - 300
F	60 - 100	1,730	2,420	3,120	3,810	4,500	5,190
	101 - 140	2,420	3,390	4,360	5,330	6,290	7,260
	141 - 180	3,120	4,360	5,600	6,850	8,090	9,340
	181 - 220	3,810	5,330	6,850	8,370	9,890	11,410
	221 - 260	4,500	6,290	8,090	9,890	11,690	13,480
	261 - 300	5,190	7,260	9,340	11,410	13,480	15,560
G	60 - 100	1,850	2,590	3,330	4,070	4,810	5,550
	101 - 140	2,590	3,630	4,660	5,700	6,730	7,770
	141 - 180	3,330	4,660	5,990	7,320	8,650	9,980
	181 - 220	4,070	5,700	7,320	8,950	10,580	12,200
	221 - 260	4,810	6,730	8,650	10,580	12,500	14,420
	261 - 300	5,550	7,770	9,980	12,200	14,420	16,640
H	60 - 100	2,450	3,430	4,410	5,390	6,370	7,350
	101 - 140	3,430	4,800	6,170	7,540	8,920	10,290
	141 - 180	4,410	6,170	7,940	9,700	11,460	13,220
	181 - 220	5,390	7,540	9,700	11,850	14,010	16,160
	221 - 260	6,370	8,920	11,460	14,010	16,550	19,100
	261 - 300	7,350	10,290	13,220	16,160	19,100	22,040
I	60 - 100	2,640	3,700	4,760	5,810	6,870	7,920
	101 - 140	3,700	5,180	6,660	8,140	9,610	11,090
	141 - 180	4,760	6,660	8,560	10,460	12,360	14,260
	181 - 220	5,810	8,140	10,460	12,780	15,110	17,430
	221 - 260	6,870	9,610	12,360	15,110	17,850	20,600
	261 - 300	7,920	11,090	14,260	17,430	20,600	23,760
J	60 - 100	2,860	4,000	5,150	6,290	7,430	8,570
	101 - 140	4,000	5,600	7,200	8,800	10,400	12,000
	141 - 180	5,150	7,200	9,260	11,310	13,370	15,430
	181 - 220	6,290	8,800	11,310	13,830	16,340	18,850
	221 - 260	7,430	10,400	13,370	16,340	19,310	22,280
	261 - 300	8,570	12,000	15,430	18,850	22,280	25,710



@Sangetsugoodrichth



Sangetsu Goodrich Thailand



Sangetsu.Goodrich.Thailand



@sangetsugoodrichthailand



www.sangetsu-goodrich.co.th



info@sangetsu-goodrich.co.th



(66) 2155 1838

1319 APAC Tower, 19th Floor Unit 1-5, 12, Sukhumvit Rd, Phra Khanong Nuea, Watthana, Bangkok 10110